


Meta-Chloroperoxybenzoic acid (mCPBA)


Oxidation reagents play a crucial role in organic synthesis and among the most important is meta-Chloroperoxybenzoic acid (mCPBA). Its popularity is due to outstanding reactivity and its ability to reduce the number of reaction steps in classical synthetic routes as well as its relative stability and ease of handling

Its many uses include epoxidation, the Baeyer-Villiger Oxidation for conversion of ketones to esters, and the synthesis of sulfoxides and sulfones. Examples of key applications are shown below together with some literature references.

1. Epoxidation ^{1,2,3,4,5,6}




2. Baeyer-Villiger Oxidation ^{7,8,9}



3. Synthesis of Sulfoxides & Sulfones ^{10,11,12,13}




4. Synthesis of N-Oxides with tertiary amines^{14,15,16}




5. Synthesis of Nitro compounds with primary Amines¹⁷




6. Conversion of Aziridines to Olefins¹⁸



7. Oxidation of Imino ethers to esters and hydroxylamines¹⁹



8. Synthesis of Aldehydes and Acids with α -Hydroxy ketones²⁰



9. Synthesis of Alcohols with primary Alkyl iodides²¹



Literature:

Fieser: 1, 135; 2, 68; 3, 49; 4, 85; 5, 120; 6, 110; 7, 62; 8, 97; 9, 108; 10, 92; 11, 122; 12, 118; 13, 76; 15, 86; 16, 80; 17, 76.

1. Bas A. M. W. van den Broek et al.: Prilezhaev Dihydroxylation of Olefins in a Continuous Flow Process., *ChemSusChem*, 2012, 5(2), 289.
2. G. Bellucci et al.: A Simple and Highly Diastereoselective Preparation of Glycal Epoxides Using the MCPBA-KF Complex, *ChemInform*, 1995, 26(15),
3. Ahmed Chekroun et al.: Regio- and Stereoselectivity of β -Himachalene Epoxidation by m-CPBA. A Theoretical Study, *J. Org. Chem.*, **2000**, 65(14), 4431.
4. Kimiyuki Maruyama et al.: Highly stereoselective epoxidation of a 4-methyl-5-(triethylsilyloxy)allyl alcohol system with m-chloroperoxybenzoic acid, *Tetrahedron Lett.*, **1998**, 39(25), 4517.
5. Anette Svensson et al.: An Efficient Protocol for the Epoxidation of Acid- and Acid/Base-Sensitive Alkenes with m-Chloroperoxybenzoic acid, *Synthetic Commun.*, **1996**, 26(15), 2875.
6. F. Fringuelli et al.: Epoxidation reaction with m-chloroperoxybenzoic acid in water, *Tetrahedron Lett.*, **1989**, 30(11), 1427.
7. G.-J. ten Brink et al.: The Baeyer-Villiger Reaction: New Developments toward Greener Procedures, *Chem. Rev.*, **2004**, 104(9), 4105.
8. Kenneth B. Wiberg et al.: Ring Expansion and Contraction of a Two-Carbon Bridged Spiropentane, *J. Org. Chem.*, **1998**, 63(5), 1390.
9. S. Stacie et al.: Modified Conditions for Efficient Baeyer-Villiger Oxidation with m-CPBA, *Synth. Commun.*, **1989**, 19(5-6), 829.
10. Károly Kánai et al.: Stereoselective sulfoxide formation from a thioproline derivative, *Tetrahedron Asym.*, **2002**, 13(5), 491.
11. Hanna Cotton et al.: Asymmetric synthesis of esomeprazole, *Tetrahedron Asym.*, **2000**, 11(18), 3819.
12. Richard S. Glass et al.: Highly diastereoselective oxidations of a thioether appended with a neighboring hydroxyl group, *Tetrahedron Lett.*, **1982**, 23(23), 2335.
13. Felipe Alcudia et al.: Conformational analysis of acyclic compounds with oxygen-sulphur interactions. Part 3. A study of some erythro-2-thio-derivatives of 1,2-diphenylethanol, *J. Chem. Soc., Perkin Trans. 2*, **1979**, 2(5), 564.
14. Giorgio Chelucci et al.: Chiral pyridine N-oxides: useful ligands for asymmetric catalysis, *Tetrahedron Asym.*, **2004**, 15(9), 1373.
15. Ryuichi Haruta et al.: Chiral allenylboronic esters: a practical reagent for enantioselective carbon-carbon bond formation, *J. Am. Chem. Soc.*, **1982**, 104(26), 7667.
16. J.C. Craig et al.: Improved preparation of tertiary amine N-oxides, *J. Org. Chem.*, **1970**, 35(5), 1721.
17. C.H. Robinson et al.: The Oxidation of Steroidal Amines to Nitro Steroids, *J. Org. Chem.*, **1966**, 31(2), 524.
18. H.W. Heine et al.: Stereospecific Deaminations of some N-Alkylaziridines by m-Chloroperbenzoic Acid, *Angew. Chem. Int. Ed. Engl.*, **1970**, 9(5), 374; (*Angew. Chem.*, **1970**, 82(10), 395).
19. Darryl Thomas et al.: Peracid oxidation of imino ethers, *Tetrahedron Lett.*, **1973**, 14(21), 1807.
20. Tyge Greibrokk: Oxidation of α -Hydroxy Ketones with m-Chloroperbenzoic Acid, *Acta Chem. Scan.*, **1973**, 27, 3365.
21. Hans J. Reich et al.: Hypervalent organoiodine chemistry. Syn elimination of alkyl iodoso compounds, *J. Am. Chem. Soc.*, **1978**, 100(15), 4888.



We are able to offer mCPBA in a variety of convenient pre-packs from 25g up to 1kg as well as in much larger multi-kilo quantities on request.



meta-Chloroperoxybenzoic acid

Product code	Product name	Pack size	CAS no.
255790250		25g	
255791000	3-Chloroperoxybenzoic acid, 70-75%,	100g	937-14-4
255795000	balance 3-Chlorobenzoic acid and water	500g	
255790010		1kg	

To place an order, contact your local distributor.



©2015 Thermo Fisher Scientific Inc. All rights reserved.
All other trademarks are the property of Thermo Fisher Scientific Inc. and its subsidiaries.

Thermo Fisher Scientific
ENA 23, Zone 1, nr 1350
Janssen Pharmaceuticaan 3a
2440 Geel
Belgium
www.acros.com